

GRACE STAPES PROSTHESES

FLUOROPLASTIC STAPES PISTON

- Biocompatible fluoroplastic material
- Loop may be opened and memory of plastic loop provides secure closure
- Shaft may be trimmed to length, if desired



Shaft Diameter	Loop Diameter	Length	Reference
0.4mm	0.6mm	4.5mm	401-450
0.4mm	0.6mm	5.0mm	401-500
0.4mm	0.6mm	6.0mm	401-600
0.5mm	0.6mm	4.5mm	408-450
0.5mm	0.6mm	5.0mm	408-500
0.5mm	0.6mm	6.0mm	408-600
0.6mm	0.6mm	4.5mm	402-450
0.6mm	0.6mm	5.0mm	402-500
0.6mm	0.6mm	6.0mm	402-600

TITANIUM PISTON

Material	Titanium/Fluoroplastic
Shaft Dia	0.6mm
Ref. #	409-500
Length	5.00mm



SUPER E PISTON

Material	Fluoroplastic / Nitinol
Type	Piston
Shaft Diameter	0.5mm
Ref. #	465-500
Length	5.00mm



ECLIPSE PISTON

Material	Fluoroplastic / Nitinol
Type	Piston
Shaft Dia	0.5mm
Ref. #	467-600
Length	6.00mm



SATALOFF MALLEUS PISTON

Material	Titanium / Fluoroplastic
Type	Piston
Shaft Dia	0.6mm
Ref. #	417-625
Length	6.25mm



GRACE STAPES PROSTHESES Unique Features :

- ▶ 3 sizes in Shaft Diameter i.e. 0.4 mm, 0.5 mm, 0.6 mm.
- ▶ 3 sizes in Shaft Length i.e. 4.5 mm, 5 mm, 6 mm.
- ▶ Complete range of Fluoroplastic, Titanium, Platinum and Nitinol Pistons.
- ▶ Sataloff Malleus Piston and Kraus K-Helix Incus Prostheses.
- ▶ Excellent Quality Feedback from Leading ENT Surgeons in India.
- ▶ Sterile, ready to use.
- ▶ Excellent Loop Memory.
- ▶ Cylindrical Shaft.
- ▶ Premium Grade and Quality Fluoroplastic material.
- ▶ Precise Sizing and Design.

GRACE OSSICULAR PROSTHESES

OFFSET ALTO TOTAL

Ref.# 600	
Material	Titanium
Head Size	2.50mmx3.50mm
Adj. Length	3.00mm to 7.00mm
Distal End Dia.	0.8mm



OFFSET ALTO PARTIAL

Ref.# 650	
Material	Titanium
Head Size	2.50mmx3.50mm
Adj. Length	2.00mm to 5.60mm
Distal End Dia.	1.45mm cup



HA ALTO Total

Ref.# 620	
Material	Hydroxylapatite / Titanium
Head Size	1.80mmx3.00mm
Adj. Length	3.00mm to 7.00mm
Distal End Dia.	0.8mm



HA ALTO Partial

Ref.# 670	
Material	Hydroxylapatite/Titanium
Head Size	1.80mmx3.00mm
Adj. Length	2.00mm to 5.60mm
Distal End Dia.	1.45mm cup



Sizer Included in ALTO Pack

Ref.# 966	
Description	Sizer Tree
Pkg.	10/box



Adjuster Included in ALTO pack

Ref.# 910	
MM scale for easy measurements	
3 and 6mm engraved numerals	
for QUICK reference	



KRAUS K-HELIX CROWN

Ref.# 756-300

Material Titanium
Coil Length 2.75mm
Distal End Dia. 1.45mm cup



Designed in conjunction with Eric Kraus, MD, Greensboro NC.

KRAUS K-HELIX PISTON

Ref.# 757-300

Material Titanium
Coil Length 2.75mm
Piston Length 4.7mm
Distal End Dia. 0.6mm



Designed in conjunction with Eric Kraus, MD, Greensboro NC.

WEDGE INCUS STRUT

Ref.# Adj. Length Material Head Dia.

657 1.75mm-2.25mm Titanium 2.30mm x 1.50mm
656 2.25mm-3.50mm



Designed in conjunction with Cliff Mergerian, MD, Cleveland, OH
Dennis Bojarb, MD, Detroit, MI Joseph Chen, MD, Toronto, Ontario, Canada

K-HELIX FOOTPLATE SHOE


Ref.# 636-060

Material Titanium
Length 1.85mm
Width 0.86mm
Height 1.14mm
ID 0.6mm



Duo ALTO with Stapes Adaptor

Material	Head Size	Top Distal End Dia	Cup Distal End	Length	Ref.#
Offset Titanium	2.50mm-3.50mm	0.8mm	1.45mm OD	2.00mm-7.00mm	600A
Centered Titanium	3.00mm	0.8mm	1.45mm OD	2.00mm-7.00mm	605A



HA Total Prostheses

Type Centered
Material Hydroxylapatite
Shaft Dia 0.8mm
Head Dia. 3.00mm
Length 6.00
Ref. # 104



HA Partial Prostheses

Type Centered
Material HA
Shaft Dia 5.00mm
Cannulation Dia. 1.17mm
Head Dia 4.00mm
Ref. # 151



Bojrab Universal

Type Notched
Material Otosil / Hydroxylapatite
Length 6.00mm
Shaft Dia 0.80mm
Head Dia 4.00mm x 3.25mm
Ref. # 293



ALTO Cutter

Material Stainless steel
Length 7.90cm
Jaw Width 6.30mm
Ref.# 910



Malleable Measuring Rod

Material Titanium
Length 18.40cm
Ref. # 915



Sliding Measuring Rod

Material Stainless Steel & Aluminium
Length 19.50cm
Ref. # 905



GRACE OSSICULAR PROSTHESES Unique Features :

- ▶ Adjustable Length with precise adjustment of 0.2 mm click.
- ▶ The above implants with Hydroxylapatite Head have excellent and much greater biocompatibility & hence no need to put cartilage graft.
- ▶ Complete range of Hydroxylapatite, Titanium and Otosil Implants.
- ▶ ALTO HA LITE (Lightest Weight Implant).
- ▶ ALTO NANO (Smallest Implant).
- ▶ Frisbee Myringopexy Partials.
- ▶ Wedge Incus Strut.

- ▶ Dornhoffer Footplate Shoe.
- ▶ Bojrab Universal (2 in 1 Implant).
- ▶ Kraus K-Helix System.
- ▶ Sataloff Malleus Prosthesis.
- ▶ Duo ALTO (2 in 1 Implant).
- ▶ All Adjustable Implants come Pre-Loaded with Default setting of 3 mm.
- ▶ Disposable Sizers & Adjuster with all Adjustable Prostheses.
- ▶ No need of any Extra or Additional Instrument.

Cartilage Microtome

Ref. # Description
990-001 Cartilage Microtome
990-002 Cartilage Microtome Blades (6/Bx)
Ventilation Tubes / grommets



VENTILATION TUBES/GROMMETS

Shepard Type

A popular short-time use tube. Available with and without tail.

Material	I.D.	I.F.O.D.	Length	Remarks	Ref.
Fluoroplastic	1.1mm	2.5mm	2.2mm	with tail	7020
Fluoroplastic	1.1mm	2.5mm	2.2mm	without tail	7030



Reuter Bobbin type

This type of tube has an excellent history of providing a somewhat longer duration for middle ear ventilation and is available in fluoroplastic.

Material	I.D.	I.F.O.D.	Length	Remark	Ref.
Fluoroplastic	1.0mm	2.5mm	1.5mm	without holes	7014-W



Tubingen Titanium Type

This tube is often used for medium / long-term ventilation. Titanium makes this tube lighter than the T-tube.

Material	I.D.	I.F.O.D.	Length	Ref.
Titanium	1.25mm	2.55mm	1.6mm	7017





T-tube Type


The soft large flanges prevent the tube from extrusion. The 12mm tube can be cut to desired length.

Material	I.D.	I.F.O.D.	Length	Ref.
Silicone	1.3mm	8.00mm	12.0mm	7002



Dimensions key: A = Internal Diameter B = Inner Flange Diameter

	Description	Material	A x B x C	Pack	Code
	T-Tube (12mm)	Silicone	1.1 x 9.0 x 12.0mm	10 per box	74-100
	Shah without wire	Fluoroplastic	1.1 x 3.1 x 1.5mm	10 per box	74-111



Triune

Length	5.00mm
Flange Length	2.00mm
Ref#	510-121
Material	Silicone
Lumen	1.35mm
Pkg.	5/Bx



Tiny Tef

IF Distance	1.01mm
O.D. Flange	(a)2.00 (b) 1.50
Ref#	520-151
Material	Fluoroplastic
Lumen	0.76mm
Pkg.	5 / Bx.



NETCELL EAR-WICK

- Ideal for delivering antibiotics when treating Otitis Externa.
- Instant patient relief when hydrated with medical otic solution

Product	Dimensions	Pack	Code
Ear wick 15mm	9mm dia x 15mm	1 per pack / box of 50 packs	30-300
Ear wick 12mm	7mm dia x 12mm	1 per pack / box of 10 packs	30-301
Ear wick Fenestrated 15mm	9mm dia x 15mm	1 per pack / box of 50 packs	30-305
Ear wick 24mm	9mm dia x 24mm	1 per pack / box of 10 packs	30-310
Ear wick Fenestrated 24mm	9mm dia x 24mm	1 per pack / box of 10 packs	30-315

Reuter Bobbin

IF Distance	1.01mm
O.D. Flange	2.70mm
Ref#	*500-101
Material	Blue Titanium
Lumen	1.14mm
Pkg.	5 / Bx.



NETCELL POST-OP EAR PACK

- Designed to prevent stenosis of the auditory canal following surgery.
- Designed not to expand lengthwise and is suitable to support a graft following tympanoplasty.

Supplied Sterile

Product	Dimensions	Pack	Code
Ear Pack without string 15mm	12mm dia x 15mm	1 per pack / box of 10 packs	30-340

70mm ANGLED ASPIRATION CANNULA

Supplied Sterile

	Dia. / Gauge	Hub Colour	Pack	Code
	2.0mm / 14G	Green	50 per box	74-1230
	1.6mm / 16G	White	50 per box	74-1231
	1.2mm / 18G	Pink	50 per box	74-1232
	0.9mm / 20G	Yellow	50 per box	74-1233
	0.7mm / 22G	Black	50 per box	74-1234
	0.5mm / 24G	Purple	50 per box	74-1236


70mm STRAIGHT ASPIRATION CANNULA

Supplied Sterile

	Dia. / Gauge	Hub Colour	Pack	Code
	2.0mm / 14G	Green	50 per box	74-1240
	1.6mm / 16G	White	50 per box	74-1241
	1.2mm / 18G	Pink	50 per box	74-1242
	0.9mm / 20G	Yellow	50 per box	74-1243
	0.7mm / 22G	Black	50 per box	74-1244
	0.5mm / 24G	Purple	50 per box	74-1246

80mm ANGLED ASPIRATION CANNULA


Supplied Sterile

	Dia. / Gauge	Hub Colour	Pack	Code
	2.0mm / 14G	Green	50 per box	74-1260

HOUSE ADAPTER WITH SUCTION CONTROL

Supplied Sterile




		Pack	Code
		50 per box	74-2001

VARI-TUBES 2mm	Description	Length	Dia. / Gauge	Pack	Code
	2mm x 215mm Vari-Tube. 40 Deg angle, proximal bend. With Suction Control	215mm	2.0mm / 6Fr	Box of 25	74-2030
	Oesophageal / Laryngeal Suction Tubes. 2mm x 275mm Vari-Tube. 30 Deg angle, proximal bend. With Suction Control	275mm	2.0mm / 6Fr	Box of 25	74-2033
	Oesophageal / Laryngeal Suction Tubes. 2mm x 350mm Vari-Tube. 30 Deg angle, proximal bend. With Suction Control	350mm	2.0mm / 6Fr	Box of 25	74-2037

VARI-TUBES

VARI-TUBE SUCTION HANDLES

Supplied Sterile

Description	Dia. / Gauge	Pack	Code
 <p>Brackmann type 1.6mm x 115mm, 40 degree bend, with suction control hole.</p> <p>Avoid trauma on delicate structures for gentle suction around the facial nerve and labyrinthine fistulae and for removal of debris during Stapes, Myringoplasty and Ossiculoplasty surgery.</p>	1.6mm / 5Fr	10 per box	74-2008
 <p>Belucci type 2mm x 85mm, proximal bend with suction control hole</p>	2.0mm / 6Fr	50 per box	74-2015
 <p>Frazier Lampert Type Suction Tube 2mm x 125mm, proximal bend with suction control hole</p>	2.0mm / 6Fr	50 per box	74-2017

FEATURES	BENEFITS
High quality strong thin walled steel	Larger lumen, free from rust
Smooth tip	Does not cause trauma or bleeding
Handles are of ergonomic design	Fits comfortably in hand & balance correctly
Sterile disposable	Prevents infection & cross contamination

MINIATURE BLADES, MYRINGOTOMY BLADES, HANDLES OF NETWORK MEDICALS ARE ALSO AVAILABLE.

Beaver® Mini-Blades

Beaver® has been manufacturing high-quality, trusted surgical blades since 1932. Advanced Beaver® Mini-Blades are designed to enhance control and precision in a broad range of surgical procedures, while maintaining the quality customers have relied on for more than 75 years.

Advanced grindless manufacturing technology ensures consistent sharpness and blade geometry.

New features are designed to make Beaver® Mini-Blades easier and safer to use:

- Patented tip design simplifies assembly, threading directly onto the handle—with no chuck collet required.
- Works with existing Beaver-Visitec handles.
- Tips are color-coded for easy identification of blade type.
- New packaging tray with integrated finger-holds allows safer assembly, with no direct contact between fingers and blade or tip.

Original system developed by an Ear Physician

ADJUSTABLE NEOPRENE HEADBAND

KEEPS WATER OUT

HOLDS EAR PLUGS IN

EAR BAND-IT

ULTRA

FOR SWIMMING & BATHING

S Ages 1 to 3 yrs
 M Ages 4 to 9 yrs
 L Ages 10 to Adult

ULTRA Grip - Grip-Tek™ Neoprene Inner Lining
ULTRA Comfort - 100% Super Soft Neoprene
ULTRA Strength - 33% Thicker

ULTRA Ear Protection from Water for All Ages!

Helps prevent swimmer's ear

Recommended by physicians for swimmers with ear tubes or ear drum perforations

Available in bright or neutral colors

LOOK FOR **PuttyBuddies** SILICONE EAR PLUGS

ORIGINAL FORMULA

FLUOTEK

FLUOTABLE FORMULA

PUTTYBUDDIES

SOFT, COLORED SILICONE EAR PLUGS

FOR SWIMMING, BATHING & SHOWERING

Recommended by Physicians for Kids with Ear Tubes and for the Prevention of Swimmer's Ear.

FOR MAXIMUM PROTECTION, EAR PLUGS SHOULD BE USED WITH THE EAR BAND-IT HEADBAND.

- Helps keep water out of the ear canal.
- Extra soft and easy to fit.
- Safe and non-toxic.
- Triple the size of many other kid's plugs.
- Assortment of bright colors & fun characters.
- Floatable formula plugs now available!
- Re-usable and affordable.

EXTRA SOFT & TACKY!

Original Soft Silicone Singles with case - MSRP \$3.50 (UP \$7.25 each)
 Five Existing Colors: Red, Teal, Purple, Magenta and Blue (also in clear)

New Floatable Silicone® Singles with case - MSRP \$5.60 (UP \$7.50 each)
 Five Existing New Colors: Red, Blue, Green, Yellow, Orange and Flesh Tone

Actual Sizes

PuttyBuddies vs. Some Other Children's Ear Plugs

• Softer silicone plugs for maximum comfort	• Hard silicone plugs
• Extra tack holds plugs in ear	• Plugs have tendency to fall out
• Larger size plugs Completely covers ear canal**	• Tiny plugs Too small to cover ear canal**
• Handy snap-top plastic carrying case included	• Comes in cheap plastic tray
• New formula plugs float	• Non floatable
• Fun, attractive packaging	• Medicinal, boring packaging

** Note that some of the competitor's ear plugs are too small to be pushed into the ear canal, which could cause problems. Putty Buddies® ear plugs are over 3 times the size of some other children's plugs, yet are still enough to see into, enable parents to fit smaller ears and make additional plugs.

Easy and Safe to Use

Simply flatten plug over the ear canal. Press up behind ear or pull down on the lobe to remove.

Made with patented **FLUOTEK** Silicone. Under license from Novacor Inc. Phoenix, AZ. (PATTI BLADE, ILL)